Fiber Num.	Fiber Type	Intented use	Cable configuration	Inner Sheath		Reinforcements and Armour		Outer Sheath	Mts.
12	FO SM	G.652D	BLOWING	MICROBUNDLE	-	-	ARAMID YARNS AND FIBER-GLASS REINFORCEMENTS	-	PE	
										600
										1.216
36	FO SM	G.652D	BLOWING	MICROBUNDLE	-	-	ARAMID YARNS AND FIBER-GLASS REINFORCEMENTS	-	PE	
										249
72	FO SM	G.652D	BLOWING	MICROBUNDLE	-	-	FIBER-GLASS YARNS AND REINFORCEMENTS	-	PE	520
										4.290
										390
										250
										99
										291
										258
										676
										694
										644
										604
										734
										524
										237
										269
										219
										127
										87
										411
										279
										1.002
										929
										941
										1.221
										871
										1.134
										975
										707
										553
										1.310
										1.293
										1.102
										1.001

72	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS YARNS AND REINFORCEMENTS	-	PE	527 1.072 3.192 1.638 2.713 1.169
144	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS YARNS AND REINFORCEMENTS	-	PE	1.114
24	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS REINFORCEMENTS	-	PE	1.337
48	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS REINFORCEMENTS	-	PE	1.091
96	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS REINFORCEMENTS	-	PE	1.043
48	FO SM	G.652D	BLOWING	MICROBUNDLE	-		-	FIBER-GLASS REINFORCEMENTS	-	PE	1.014
12	FO SM	G.652D	BURIED	MICROBUNDLE	-	PE	-	FIBER-GLASS YARNS - CST - FIBER-GLASS REINFORCEMENTS	-	PE	676 589